

HIV/AIDS Survey Indicators Database

Welcome to the HIV/AIDS Datacompiler Home

Program Areas and Indicators

The HIV/AIDS Survey Indicators Database offers an internationally-accepted, consistent method for measuring factors related to HIV prevention across countries, such as prevention and treatment spending and policies, knowledge and availability of methods of prevention, and attitudes towards people with HIV.

The indicators used in this database were drawn from guides from UNAIDS, the UN General Assembly Special Session on HIV/AIDS (UNGASS), the Millennium Development Goals (MDGs), the President's Emergency Plan for AIDS Relief (PEPFAR), and the Global Fund to Fight HIV/AIDS, Malaria and Tuberculosis. Information on these original sources are below.

- National AIDS Programmes: A Guide to Monitoring and Evaluation [PDF, 382K]
- UNGASS Guidelines on Construction of Core Indicators July 2005 [PDF, 1599K]
- <u>UNGASS Monitoring the Declaration of Commitment on HIV/AIDS, Guidelines on Construction of Core Indicators, 2008 Reporting [PDF, 533K]</u>
- The President's Emergency Plan for AIDS Relief: Indicators, Reporting Requirements, and Guidelines for Focus Countries July 2005 [PDF,
- Guide to Monitoring and Evaluation of the National Response for Children Orphaned and Made Vulnerable by HIV/AIDS [PDF, 695K]
- National AIDS Programmes: A Guide to Indicators for Monitoring and Evaluating National HIV/AIDS Prevention Programmes for Young People [PDF, 932K]
- GFATM Monitoring and Evaluation Toolkit: HIV/AIDS, Tuberculosis and Malaria, Second Edition 2006 [PDF, 3179K]
 Indicators for Monitoring the Millennium Development Goals, Definitions Rationale Concepts and Sources, United Nations 2003 [PDF, 785K]

Code	Indicator Label	Show: All Indicators	♦ Go	
1	Policy and political commitment			
1.1	AIDS Programme Effort Index (API)			
1.2	Spending on HIV prevention programs			
2	Condom availability and quality			
2.1	Condoms available for distribution nationwide			
2.2	Retail outlets and services with condoms in stock			
2.3	Condoms that meet quality control measures			
2.4	Adult support of education on condom use for prevention of HIV/AIDS among young people			
2.5	Knowledge of a formal source of condoms among young people.			
2.6	Percentage of young people aged 15-24 who report they could get condoms on their own			
3	Stigma and discrimination			
3.1	Accepting attitudes towards those living with HIV - Composite of 4 components			
3.1.1	Accepting attitudes - Willing to care for family member sick with AIDS (1)			
3.1.2	Accepting attitudes - Would buy fresh vegetables from a shopkeeper with AIDS (2)			
3.1.3	Accepting attitudes - Female teacher who is HIV+ but not sick should be allowed to continue teaching in school (3)			
3.1.4	Accepting attitudes	- Not secretive about family member's HIV status (4)		
3.1.5	Accepting attitudes - Approving of (2) food vendors and (3) teachers (MICS)			
3.1.6	Accepting attitudes - (1) caring and (3) approving teachers (DHS)			
3.1.7	Accepting attitudes	- person allowed to keep HIV+ status private		
3.2	Employers ensuring no discrimination against people with HIV			
4	<u>Knowledge</u>			
4.0.1	Heard of HIV/AIDS			
4.1	Knowledge of HIV prevention methods - Composite of 2 components (prompted)			
4.1.1	Knowledge of HIV prevention methods - Composite of 3 components (prompted)			
4.1.2	Knowledge of HIV p	prevention methods - Use of condoms (prompted)		
4.1.3	Knowledge of HIV prevention methods - Only one partner (prompted)			
4.1.4	Knowledge of HIV p	prevention methods - Abstain from sex (prompted)		
4.1.5	Knowledge of HIV prevention methods - Use of condoms (spontaneous)			
4.1.6	Knowledge of HIV prevention methods - Only one/ limiting partners (spontaneous)			
4.1.7	Knowledge of HIV prevention methods - Abstain from sex (spontaneous)			
4.1.8	Knowledge of HIV prevention methods - Believe there is no way to avoid AIDS			

4.2	No incorrect beliefs about AIDS - Composite of 3 components		
4.2.1	No incorrect beliefs about AIDS - Healthy-looking person can have the AIDS virus		
4.2.2	No incorrect beliefs about AIDS - AIDS cannot be transmitted by mosquito bites		
4.2.3	No incorrect beliefs about AIDS - AIDS cannot be transmitted by supernatural means		
4.2.4	No incorrect beliefs about AIDS - reported both 4.2.1 and 4.2.2		
4.2.5	No incorrect beliefs about AIDS - reported 4.2.1, 4.2.2, and 4.2.3		
4.2.6	No incorrect beliefs about AIDS - Cannot become infected by sharing food with someone who has AIDS		
4.3	Knowledge of HIV prevention among males having sex with males		
4.4	Knowledge of HIV prevention among injecting drug users		
4.4.1	Knowledge of HIV prevention among injecting drug users - switching to non-injectable drugs		
4.4.2	Knowledge of HIV prevention among injecting drug users - avoiding sharing injecting equipment		
4.5	Knowledge of prevention of mother to child transmission of HIV		
4.5.1	Knowledge of prevention of MTCT - Can be prevented by mother taking ART during pregnancy		
4.5.2	Knowledge of prevention of MTCT - Can be prevented by mother avoiding breastfeeding		
4.5.3	Knowledge of mother to child transmission of HIV		
4.5.4	Knowledge of MTCT - During pregnancy		
4.5.5	Knowledge of MTCT - During delivery		
4.5.6	Knowledge of MTCT - Through breastfeeding		
4.5.7	Knowledge of MTCT - During pregnancy, delivery, and breast feeding		
4.6	Comprehensive correct knowledge about AIDS (2 ways to prevent AIDS and reject 3 misconceptions)		
4.6.1	Comprehensive correct knowledge about AIDS (3 ways to prevent AIDS and reject 3 misconceptions)		
4/	Comprehensive correct knowledge about AIDS among young people age 15-24 (2 ways to prevent AIDS and reject 3 misconceptions)		
5	Voluntary counseling and testing		
5.1	Population requesting an HIV test, receiving a test and receiving test results		
5.1.1	Population ever receiving an HIV test		
5.1.2	Population receiving a test and receiving test results in the last 12 months.		
5.2	<u>Districts with VCT services</u>		
5.3	Quality post HIV test counselling		
5.4	VCT centres with minimum conditions to provide quality services		
5.5	VCT laboratories that follow quality testing protocols		
5.6	HIV testing behaviour among young people, sexually active in the last 12 months		
6	Mother to child transmission		
6.1	Pregnant women counselled and tested for HIV		
	Pregnant women counselled for HIV during ANC visit		
1	Pregnant women tested for HIV during ANC visit		
1	Antenatal clinics offering or referring for VCT		
	Quality HIV counselling for pregnant women		
	HIV-positive women provided with anti-retroviral therapy in pregnancy		
7	Sexual negotiation and attitudes		
1	Women's ability to negotiate safer sex with husband		
7.2	Property dispossession		
8	Sexual behavior		
	Sexual behavior		
	Sexual behavior Higher risk sex in the last year		
8.1.1			
8.1.1 8.1.2	Higher risk sex in the last year		
8.1.1 8.1.2	Higher risk sex in the last year Multiple partners in the last year among sexually active respondents aged 15-49.		

8.2.2	Condom use at last sex with anyone		
8.2.3	Condom use during higher-risk sex (with multiple partners)		
8.3	Commercial sex in last year		
8.4	Condom use at last commercial sex, reported by client		
8.5	Condom use at last commercial sex, reported by sex worker		
8.6	Higher risk male-male sex in last year		
8.7	Condom use at last anal sex between men		
8.7.1	Men Who Have Sex with Men: Condom Use		
9	Young people's sexual behavior		
9.1	Median age at first sex among young men and women		
9.1.1	Abstinence of never-married young men and women.		
9.1.2	Sex before the age of 15		
9.1.3	Sex before the age of 18.		
9.1.4	Primary Abstinence		
9.1.5	Secondary Abstinence		
9.2	Young people having premarital sex in last year		
9.3	Young people using a condom during premarital sex		
9.4	Young people having multiple partners in last year		
9.5	Young people using a condom at last higher risk sex		
9.5.1	Young people using a condom at last higher risk sex of all young people surveyed		
9.6	Condom use at first sex		
9.7	Age-mixing in sexual relationships (young women age 15-19, non-marital, non-cohabiting partner in the last 12 months)		
9.7.1	Age-mixing in sexual partnerships (young women age 15-24, any partner in the last 12 months)		
9.8	Forced sex among young people		
9.9	Sex among young people while they are intoxicated		
9.10	Sex with commercial sex workers among young people.		
10	Injecting drug use		
10.1	Injecting drug users sharing equipment at last injection		
10.2	Injecting drug users never sharing equipment in the last month		
10.3	Drug injectors using condom at last sex		
10.3.1	Drug injectors using condom at last sex with a commercial sex worker		
10.3.2	Drug injectors using condom at last sex with a non-regular partner		
10.3.3	Drug injectors using condom at last sex with a regular partner		
11	Blood safety / nosocomial transmission		
11.1	Screening of blood units for transfusion		
11.2	Reduction of blood transfusions		
11.3	Districts/regions with donor recruitment and blood transfusion services		
11.4	Health care settings with guidelines and practices for prevention of accidental HIV transmission		
11.5	Average number of medical injections per person per year		
	Proportion of women and men reporting that the last health care injection was given with a syringe and needle set from a new,		
11.6	unopened package		
12	STI care and prevention		
12.1	Appropriate diagnosis and treatment of STIs		
12.2	Advice to STI patients on prevention and referral to HIV testing services		
12.3	Drug supply at STI care services		
12.4	Men and women seeking treatment for STIs		
13	Care and support		
13.1	Medical personnel trained in care of HIV-related conditions		

13.2	Health facilities with the capacity to deliver appropriate care to HIV-infected patients		
13.3	Health facilities with drugs for opportunistic infections and palliative care in stock		
13.4	Households receiving help in caring for chronically ill adults		
13.4.1	External support for chronically ill persons		
13.4.2	External support for chronically ill persons, any support		
13.5	External Support for Orphaned and Vulnerable Children: at least one of the services		
13.5.1	External support for households with OVCs: all services		
14	Social impact		
14.1	Birth registration		
14.2	Percentage of children under 18 who are vulnerable		
14.2.1	Percentage of children under 18 who are vulnerable-chronically ill parents		
14.2.2	Percentage of children under 18 who are vulnerable-adult in the household was sick for 3 of the 12 months prior to the death		
14.2.3	Percentage of children under 18 who are vulnerable-chronically ill adults in the household		
14.3	Prevalence of orphanhood under 18 who are orphans mother, father or both dead		
14.4	Prevalence of orphanhood among children under 15- mother, father or both dead		
14.4.1	Prevalence of orphanhood among children under 15- mother and father both dead		
14.4.2	Prevalence of orphanhood among children under 15- mother dead (or both dead)		
14.4.3	Prevalence of orphanhood among children under 15- mother dead, father alive		
14.4.4	Prevalence of orphanhood among children under 15- father dead (or both dead)		
14.4.5	Prevalence of orphanhood among children under 15- father dead, mother alive		
14.5	Ratio of orphans to non-orphans who are in school - mother, father or both dead		
14.5.1	Ratio of orphans to non-orphans who are in school - mother and father both dead		
14.5.2	Ratio of orphans to non-orphans who are in school - mother dead (or both dead)		
14.5.3	Ratio of orphans to non-orphans who are in school - mother dead, father alive		
14.5.4	Ratio of orphans to non-orphans who are in school - father dead (or both dead)		
14.5.5	Ratio of orphans to non-orphans who are in school - father dead, mother alive		
14.5.6	Current school attendance rate of orphans aged 10-14		
14.5.7	Current school attendance rate of children aged 10–14 both of whose parents are alive and who live with at least one parent		
14.6	Malnutrition/underweight prevalence		
14.7	Basic material needs		
14.9	Sex before the age of 15 (proportion of OVCs to non-OVC)		
14.10	Succession planning		
14.11	Orphans living with siblings		
15	HIV prevalence		
15.1	HIV prevalence among young people aged 15-24		
15.2	HIV prevalence among general population		
15.3	HIV prevalence among pregnant women		
15.4	Syphilis prevalence among pregnant women		
15.5	HIV prevalence in sub-populations with high-risk behaviour		

Summary List of Indicator Definitions